



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
FILTER SENSE LINE	91449			71-00-36	General Electric											X		
VALVE, 3" CHECK ASSY	9032-2-1			21-20-01	AeroControlex						X	X						
VALVE, 3" CHECK ASSY	9032-2-4			21-20-01	AeroControlex						X	X						
VALVE, 3" CHECK ASSY	9032-3-1			21-20-01	AeroControlex						X	X						
VALVE, 3" CHECK ASSY	9032-3-2			21-20-01	AeroControlex						X	X						
VALVE, 3" CHECK ASSY	9032-4-1			21-20-01	AeroControlex						X	X						
VALVE, 3" CHECK ASSY	9032-4-2			21-20-01	AeroControlex						X	X						
VALVE, 3" CHECK ASSY	9032-4-3			21-20-01	AeroControlex						X	X						
WIRING HARNESS ASSEMBLY	3888438		3800708-1	49-11-13	Honeywell		X											
APU APS3200	4500001			3200-1 EM	Hamilton Sundstrand		X											APS3200
APU APS2300	4505001			2300-1 EM	Hamilton Sundstrand											X		APS2300
Engine Control Wiring Harness Assembly	4505113			49-10-27	Hamilton Sundstrand											X		APS2300
VALVE, HIGH STAGE BLEED AIR	4952361			36-12-01	Hamilton Sundstrand											X		
VALVE, HIGH STAGE BLEED AIR	4952447			36-12-01	Hamilton Sundstrand											X		
50 PSIA Pressure Sensor	7010129			21-52-85	Hamilton Sundstrand							X					X	
Engine Control Wiring Harness Assembly	4506061-13			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	4506061-16			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	4506061-4			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	4506061-9			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	M4506061-13			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	M4506061-16			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	M4506061-4			49-10-04	Hamilton Sundstrand		X											
Engine Control Wiring Harness Assembly	M4506061-9			49-10-04	Hamilton Sundstrand		X											
AIR CYCLE MACHINE	1000700-2			21-52-13	Hamilton Sundstrand											X		
AIR CYCLE MACHINE	1000700-3			21-52-13	Hamilton Sundstrand											X		
AIR CYCLE MACHINE	1000700-4			21-52-13	Hamilton Sundstrand											X		
AIR CYCLE MACHINE	1000700-5			21-52-13	Hamilton Sundstrand											X		
VALVE, HIGH STAGE BLEED	1001246-1			36-11-30	Hamilton Sundstrand											X		
VALVE, HIGH STAGE BLEED	1001246-2			36-11-30	Hamilton Sundstrand											X		
VALVE, HIGH STAGE BLEED	1001246-3			36-11-30	Hamilton Sundstrand											X		
VALVE, BLEED ISOLATION	1001248-1			36-10-01	Hamilton Sundstrand											X		
VALVE, BLEED ISOLATION	1001248-2			36-10-01	Hamilton Sundstrand											X		
VALVE, WING ANTI ICE	1001249-1			30-11-01	Hamilton Sundstrand											X		
VALVE, WING ANTI ICE	1001249-2			30-11-01	Hamilton Sundstrand											X		
VALVE, LIMIT BYPASS	1001250-1			21-52-18	Hamilton Sundstrand											X		
VALVE, LIMIT BYPASS	1001250-2			21-52-18	Hamilton Sundstrand											X		
VALVE, LIMIT BYPASS	1001250-3			21-52-18	Hamilton Sundstrand											X		
VALVE, RAM AIR	1001251-1			21-25-08	Hamilton Sundstrand											X		



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings:
B3- APU

C1 - Air Cond. & Press. C9 - Fuel
C5 - Electrical Power C17 - Pneumatic & Vacuum
C7 - Engine/APU C18 - Protection Ice/Rain/Fire
C8 - Flight Controls

FAR-145 Ratings:
EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.

Notes:
The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions
EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable

Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
VALVE,CONDITIONED AIR CHECK VALVE	1001252-1			21-20-02	Hamilton Sundstrand											X		
MOTOR, TORQUE CONTROL	1001253-1			36-11-32	Hamilton Sundstrand											X		
VALVE, CHECK	1001447-3			36-11-31	Hamilton Sundstrand											X		
VALVE, CHECK	1001447-4			36-11-31	Hamilton Sundstrand											X		
VALVE, CHECK	1001447-6			36-11-31	Hamilton Sundstrand											X		
VALVE, CHECK	1001448-2			36-12-19	Hamilton Sundstrand											X		
VALVE, FAN BYPASS CHECK	1001449-1			21-51-78	Hamilton Sundstrand											X		
VALVE, CHECK	1001451-2			36-13-07	Hamilton Sundstrand											X		
VALVE, CHECK	1001452-2			21-20-04	Hamilton Sundstrand											X		
VALVE, CHECK	1001452-3			21-20-04	Hamilton Sundstrand											X		
VALVE, CHECK	1001452-4			21-20-04	Hamilton Sundstrand											X		
VALVE, PACK CONTROL	1001456-2			21-52-10	Hamilton Sundstrand											X		
VALVE, PACK CONTROL	1001456-3			21-52-10	Hamilton Sundstrand											X		
VALVE, PACK CONTROL	1001456-4			21-52-10	Hamilton Sundstrand											X		
VALVE, PACK CONTROL	1001456-6			21-52-10	Hamilton Sundstrand											X		
VALVE, CARGO COMPARTMENT	1001497-1			21-27-04	Hamilton Sundstrand											X		
Filter	1001771-1			36-11-32	Hamilton Sundstrand											X		
Filter	1001771-2			36-11-32	Hamilton Sundstrand											X		
HEAT EXCHANGER AIRCRAFT PRECOOLER	1002793-2			36-11-19	Hamilton Sundstrand											X		
VALVE, FAN AIR	1007086-1			36-11-17	Hamilton Sundstrand											X		
VALVE, FAN AIR	1007086-2			36-11-17	Hamilton Sundstrand											X		
VALVE, FAN AIR	1007086-3			36-11-17	Hamilton Sundstrand											X		
VALVE, FAN AIR	1007086-5			36-11-17	Hamilton Sundstrand											X		
FILTER	1013601-1			21-53-13	Hamilton Sundstrand											X		
Filter-Air	1013983-1			36-11-17	Hamilton Sundstrand											x		
Air Filter	1021642-1			21-53-13	Hamilton Sundstrand											X		
Filter Air	1021643-1			36-11-17	Hamilton Sundstrand											X		
REGULATOR, HIGH STAGE	107484-2			36-13-93	Honeywell				X	X								CFM56-3, -7
REGULATOR, HIGH STAGE	107484-3			36-13-93	Honeywell				X	X								CFM56-3, -7
REGULATOR, HIGH STAGE	107484-4			36-13-93	Honeywell				X	X								CFM56-3, -7
REGULATOR, HIGH STAGE	107484-5			36-13-93	Honeywell				X	X								CFM56-3, -7
REGULATOR, HIGH STAGE	107484-6			36-13-93	Honeywell				X	X								CFM56-3, -7
REGULATOR, HIGH STAGE	107484-7			36-13-93	Honeywell				X	X								CFM56-3, -7
REGULATOR, BLEED AIR	107492-1			36-13-95	Honeywell				X	X								CFM56-3, -7
REGULATOR, BLEED AIR	107492-2			36-13-95	Honeywell				X	X								CFM56-3, -7
REGULATOR, BLEED AIR	107492-3			36-13-95	Honeywell				X	X								CFM56-3, -7
REGULATOR, BLEED AIR	107492-5			36-13-95	Honeywell				X	X								CFM56-3, -7
REGULATOR, BLEED AIR	107492-6			36-13-95	Honeywell				X	X								CFM56-3, -7



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
VALVE, 4" DIAM. PNEUMATIC BUTTERFLY SHUTOFF	109486-5-1			49-52-09	Honeywell				X									
VALVE, 4" DIAM. PNEUMATIC BUTTERFLY SHUTOFF	109486-6-1			49-52-09	Honeywell				X									GTCP36-280B
VALVE, 4" DIAM. PNEUMATIC BUTTERFLY SHUTOFF	109486-7			49-52-09	Honeywell				X									GTCP36-280B
VALVE, 4" DIAM. PNEUMATIC BUTTERFLY SHUTOFF	109486-7-1			49-52-09	Honeywell				X									GTCP36-280B
VALVE, 4" DIAM. PNEUMATIC BUTTERFLY SHUTOFF	109486-8			49-52-09	Honeywell				X									GTCP36-280B
VALVE, 3.5" DIAMETER CHECK	123266-2-1			36-10-89	Honeywell					X								
VALVE, CHECK	123934-1-1			36-11-02	Honeywell						X							
VALVE, CHECK	123934-2-1			36-11-02	Honeywell						X							
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-1	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-10	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-2	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-5	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-6	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-7	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-8	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
UNIT, LEADING EDGE FLAP PNEUMATIC DRIVE	126762-9	3213944-1-1	3290402-1	8927-81-11	Honeywell						X	X						
SENSOR, PRECOOLER CONTROL VALVE	129666-1			36-13-99	Honeywell				X									
SENSOR, PRECOOLER CONTROL VALVE	129666-2			36-13-99	Honeywell	10-62008-24			X	X								
SENSOR, PRECOOLER CONTROL VALVE	129666-3			36-13-99	Honeywell	10-62008-24			X	X								
SENSOR, BLEED AIR OVERTEMPERATURE	129694-1			36-14-03	Honeywell				X									
SENSOR, BLEED AIR OVERTEMPERATURE	129694-2			36-14-03	Honeywell				X	X								
SENSOR, BLEED AIR OVERTEMPERATURE	129694-3			36-14-03	Honeywell				X	X								
NEADS FLOAT CHECK VALVE	2030172-101			47-21-02	Parker					X								
NGS SHUTOFF VALVE	2030174-101			47-11-51	Honeywell					X								
NGS NEADS CHECK VALVE	2040011-102			47-21-03	Honeywell					X								
HIGH FLOW VALVE	2040020-101			47-11-53	Parker					X								
HIGH FLOW VALVE	2040020-102			47-11-53	Parker					X								
HIGH FLOW VALVE	2040020-103			47-11-53	Parker					X								
NEADS CHECK VALVE	2040021-101			47-21-04	Parker					X								
NGS FILTER ASSEMBLY	2040025-102			47-32-52	Parker					X								
NGS FILTER ASSEMBLY	2040025-104			47-32-52	Parker					X								
NGS FILTER ASSEMBLY	2040025-105			47-32-52	Parker					X								
NGS FILTER ASSEMBLY	2040025-106			47-32-52	Parker					X								
DRAIN VALVE	2040058-101			47-21-06	Parker					X								
FILTER DIFFERENTIAL PRESSURE SWITCH	2040061-101			47-30-01	Parker					X								
FILTER DIFFERENTIAL PRESSURE SWITCH	2040061-102			47-30-01	Parker					X								
NGS FILTER ASSEMBLY	2050108-101			47-32-42	Parker					X								
NGS FILTER ASSEMBLY	2050108-102			47-32-42	Parker					X								



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
HIGH FLOW VALVE	2060021-101			47-11-54	Parker					X								
VALVE, RAM AIR	21671-01			21-25-08	Nord Micro											X		
AIR CYCLE MACHINE	2206400-1			21-50-78	Honeywell					X								
AIR CYCLE MACHINE	2206400-1			21-50-78	Honeywell					X								
AIR CYCLE MACHINE	2206400-2			21-50-78	Honeywell					X								
VALVE, ASSEMBLY SHUTOFF	23E59-2			24-10-06	Honeywell							X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-3			24-10-06	Honeywell	9377M65P01						X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-4			24-10-06	Honeywell	9377M65P02						X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-5			24-10-06	Honeywell	9377M65P03						X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-6			24-10-06	Honeywell	9377M65P04						X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-7			24-10-06	Honeywell	9377M65P05						X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-7M			24-10-06	Honeywell							X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-8			24-10-06	Honeywell							X		X				CF6-80
VALVE, ASSEMBLY SHUTOFF	23E59-9			24-10-06	Honeywell							X		X				CF6-80
ACTUATOR, ROTARY ELECTROMECHANICAL	2740028-1		398908	21-51-94	Honeywell				X									
ACTUATOR, ROTARY ELECTROMECHANICAL	2740028-2		398908	21-51-94	Honeywell				X									
ACTUATOR, ROTARY ELECTROMECHANICAL	2740028-3		398908	21-51-94	Honeywell				X	X								
Rotary Electro Mechanical Actuator	2740028-3			21-51-94	Honeywell					X								
ACTUATOR ROTARY ELECTROMECHANICAL	2740028-4		398908	21-51-94	Honeywell				X	X								
ACTUATOR ROTARY ELECTROMECHANICAL	2740028-5		398908	21-51-94	Honeywell				X	X								
VALVE, BLEED AIR CHECK	3202222-1			36-13-89	Honeywell				X	X								
APU CHECK VALVE	3202854-1			49-53-69	Honeywell										X			
NGS CHECK VALVE	3203014-1			47-32-16	Honeywell					X								
VALVE, 7" DIAMETER ELEC SHUTOFF	3204958-1	544286		36-12-43	Honeywell						X	X						
VALVE, 7" DIAMETER ELEC SHUTOFF	3204958-2	544286		36-12-43	Honeywell						X	X						
VALVE, 7" DIAMETER ELEC SHUTOFF	3204958-3			36-12-43	Honeywell							X						
VALVE, 7" DIAMETER ELEC SHUTOFF	3204958-4			36-12-43	Honeywell							X						
VALVE , SOLENOID ASSY	320548-1			36-12-35	Honeywell				X									
VALVE , SOLENOID ASSY	320548-2			36-12-35	Honeywell				X									
VALVE, PRESSURE RELIEF	320625-1			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-2			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-3			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-4			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-5			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-6			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-7			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, PRESSURE RELIEF	320625-8			75-31-01	Whittaker						X	X						CF6-50, -80
VALVE, TRIM AIR PRESSURE REGULATING AND SHUTOFF VALVE	3214230-4			21-61-11	Honeywell				X	X								



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
VALVE, HIGH STAGE	3214446-1			36-12-45	Honeywell				X	X								CFM56-7
VALVE, HIGH STAGE	3214446-2			36-12-45	Honeywell				X	X								CFM56-7
VALVE, HIGH STAGE	3214446-3			36-12-45	Honeywell				X	X								CFM56-7
VALVE, HIGH STAGE	3214446-4			36-12-45	Honeywell	10-62008-32			X	X								CFM56-7
VALVE, PRESSURE REGULATOR AND SHUTOFF	3214552-1			36-13-87	Honeywell				X	X								CFM56-7
VALVE, PRESSURE REGULATOR AND SHUTOFF	3214552-2			36-13-87	Honeywell				X	X								CFM56-7
VALVE, PRESSURE REGULATOR AND SHUTOFF	3214552-3			36-13-87	Honeywell				X	X								CFM56-7
VALVE, PRESSURE REGULATOR AND SHUTOFF	3214552-4			36-13-87	Honeywell				X	X								CFM56-7
VALVE, PRESSURE REGULATOR AND SHUTOFF	3214552-5			36-13-87	Honeywell				X	X								CFM56-7
VALVE, PRESSURE REGULATOR AND SHUTOFF	3214552-6			36-13-87	Honeywell				X	X								CFM56-7
VALVE, TRIM AIR PRESS. REGULATING AND SHUTOFF	3214862-1			21-61-11	Honeywell				X	X								
VALVE, TRIM AIR PRESS. REGULATING AND SHUTOFF	3214972-1			21-61-11	Honeywell				X	X								
NOSE COWL ANTI ICE VALVE	3215618-2			30-20-05	Honeywell					X								
NOSE COWL ANTI ICE VALVE	3215618-3			30-20-05	Honeywell					X								
NOSE COWL ANTI ICE VALVE	3215618-4			30-20-05	Honeywell					X								
NOSE COWL ANTI ICE VALVE	3215618-5			30-20-05	Honeywell					X								
NGS SHUTOFF VALVE	3215922-1			47-32-03	Honeywell							X			X			
NGS SHUTOFF VALVE	3215922-2			47-32-03	Honeywell							X			X			
VALVE, 2.5" DIAMETER ELEC. BUTTERFLY SHUTOFF	321942-1-1	541932		21-50-91	Honeywell				X	X								
VALVE, SHUTOFF	32-2684-003	32-0260-4 2535		36-10-04	Honeywell				X		X	X						
VALVE, SHUTOFF	32-2684-004	32-0260-4 2535		36-10-04	Honeywell				X		X	X						
VALVE, SHUTOFF	32-2684-007	32-0260-4 2535		36-10-04	Honeywell				X		X	X						
APU STARTER VALVE	3283076-2			49-52-19	Honeywell										X			
APU STARTER VALVE	3283076-3			49-52-19	Honeywell										X			
APU STARTER VALVE	3283076-4			49-52-19	Honeywell										X			
APU STARTER VALVE	3283076-5			49-52-19	Honeywell										X			
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-1			36-13-91	Honeywell				X	X								CFM56-7
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-2			36-13-91	Honeywell				X	X								CFM56-7
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-3			36-13-91	Honeywell				X	X								CFM56-7
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-4			36-13-91	Honeywell	10-62008-28			X	X								CFM56-7
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-5			36-13-91	Honeywell	10-62008-33			X	X								CFM56-7
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-6			36-13-91	Honeywell				X	X								CFM56-7
VALVE, 4" DIAM. PRECOOLER CONTROL	3289562-7			36-13-91	Honeywell				X	X								CFM56-7
VALVE, 3" DIAM. STARTER CONTROL	3289630-1			80-11-27	Honeywell				X									CFM56-7
VALVE, 3" DIAM. STARTER CONTROL	3289630-2			80-11-27	Honeywell				X									CFM56-7
VALVE, 3" DIAM. STARTER CONTROL	3289630-3			80-11-27	Honeywell				X									CFM56-7
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-10			80-11-39	Honeywell		X											CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-11			80-11-39	Honeywell		X											CFM56-5



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-13			80-11-39	Honeywell			X										CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-14			80-11-39	Honeywell			X										CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-15			80-11-39	Honeywell			X										CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-16			80-11-39	Honeywell			X										CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-17			80-11-39	Honeywell		X											CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-18			80-11-39	Honeywell		X	X										CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-19			80-11-39	Honeywell			X										CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-2			80-11-39	Honeywell		X											CFM56-5
VALVE, 4" DIAMETER STARTER ASSEMBLY	3290064-3			80-11-39	Honeywell		X											CFM56-5
VALVE, STANDBY PACK TEMPERATURE CONTROL	3290206-1			21-60-95	Honeywell				X	X								
VALVE, STANDBY PACK TEMPERATURE CONTROL	3290206-2			21-60-95	Honeywell				X	X								
VALVE, PNEUMATIC BUTTERFLY SHUTOFF	3290694-2			80-11-47	Honeywell			X										CF6-80E1
VALVE, PNEUMATIC BUTTERFLY SHUTOFF	3290694-3			80-11-47	Honeywell			X										CF6-80E1
VALVE, PNEUMATIC BUTTERFLY SHUTOFF	3290694-4			80-11-47	Honeywell			X										CF6-80E1
VALVE, PNEUMATIC BUTTERFLY SHUTOFF	3290694-5			80-11-47	Honeywell			X										CF6-80E1
VALVE, PNEUMATIC BUTTERFLY SHUTOFF	3290694-6			80-11-47	Honeywell			X										CF6-80E1
Pneumatic Butterfly Shutoff Valve	3290694-7			80-11-47	Honeywell			X										
VALVE, 4" PNEUMATIC BUTTERFLY SHUTOFF	3291172-1			80-11-67	Honeywell						X	X		X				CF6-80C2
VALVE, 4" PNEUMATIC BUTTERFLY SHUTOFF	3291172-2			80-11-67	Honeywell						X	X		X				CF6-80C2
VALVE, 4" PNEUMATIC BUTTERFLY SHUTOFF	3291172-3			80-11-67	Honeywell	S332U232-14					X	X		X				CF6-80C2
VALVE, 3.5" APU BLEED AIR	3291214-2		3800702-1	49-52-29	Honeywell					X								131-9[B]
VALVE, LOAD CONTROL	3291432-1			49-52-35	Honeywell		X											
VALVE, LOAD CONTROL	3291432-2			49-52-35	Honeywell		X											
STARTER CONTROL VALVE	3291556-1			80-12-43	Honeywell		X											
NGS SHUTOFF VALVE	3291766-1			47-32-05	Honeywell					X								
NGS SHUTOFF VALVE	3291766-2			47-32-05	Honeywell					X								
NGS TEMPERATURE CONTROL VALVE	3291824-1			47-32-09	Honeywell					X								
NGS TEMPERATURE CONTROL VALVE	3291824-2			47-32-09	Honeywell					X								
NGS RAM AIR VALVE	3291828-1			47-32-07	Honeywell					X								
NGS RAM AIR VALVE	3291830-1			47-32-01	Honeywell					X								
NGS RAM AIR VALVE	3291830-2			47-32-01	Honeywell					X								
AIR TURBINE ENGINE STARTER	3505140-1			80-11-91	Honeywell										X			PW4000
AIR TURBINE ENGINE STARTER	3505140-2			80-11-91	Honeywell										X			PW4000
STARTER, PNEUMATIC ENGINE	3505448-3-1			80-11-11	Honeywell						X	X		X				CF6-6, -50, -80A, 80C2
STARTER, PNEUMATIC ENGINE	3505448-5-1			80-11-11	Honeywell	S332U231-1					X	X		X				CF6-6, -50, -80A, 80C2
AIR TURBINE STARTER	3505814-3			49-42-01	Honeywell										X			
STARTER, ENGINE AIR TURBINE	3505945-10			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-11			80-11-79	Honeywell					X								CFM56-7



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings:
B3- APU

C1 - Air Cond. & Press. C9 - Fuel
C5 - Electrical Power C17 - Pneumatic & Vacuum
C7 - Engine/APU C18 - Protection Ice/Rain/Fire
C8 - Flight Controls

FAR-145 Ratings:
EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.

Notes:
The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions
EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable

Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
STARTER, ENGINE AIR TURBINE	3505945-12			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-2			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-3			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-4			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-5			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-6			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-7			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-8			80-11-79	Honeywell					X								CFM56-7
STARTER, ENGINE AIR TURBINE	3505945-9			80-11-79	Honeywell					X								CFM56-7
Cooling Fan Assembly	3616140-10			49-51-07	Honeywell		X											131-9A
Cooling Fan Assembly	3616140-4			49-51-07	Honeywell		X											131-9A
Cooling Fan Assembly	3616140-6			49-51-07	Honeywell		X											131-9A
Cooling Fan Assembly	3616140-7			49-51-07	Honeywell		X											131-9A
COOLING FAN ASSEMBLY	3616960-2		3800454	49-52-41	Honeywell			X										GTCP331-350
COOLING FAN ASSEMBLY	3616960-3		3800454	49-52-41	Honeywell			X										GTCP331-350
VALVE, ASSEMBLY SHUTOFF	36E14-1			75-23-14	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	36E14-2			75-23-14	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	36E14-3			75-23-14	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	36E14-4			75-23-14	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	36E14-5			75-23-14	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	36E14-5M			75-23-14	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	36E14-6			75-23-14	Honeywell							X		X				CF6-80C2
GAS TURBINE COMPRESSOR POWER UNIT	3800454-1			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE COMPRESSOR POWER UNIT	3800454-2			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE COMPRESSOR POWER UNIT	3800454-3			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE COMPRESSOR POWER UNIT	3800454-4			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE COMPRESSOR POWER UNIT	3800454-4A			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE COMPRESSOR POWER UNIT	3800454-5			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE COMPRESSOR POWER UNIT	3800454-6			49-26-11	Honeywell			X										GTCP331-350
GAS TURBINE ASSEMBLY	3800550-1			49-26-57	Honeywell										X			GTCP331-500
GAS TURBINE ENGINE	3800702-1			49-26-95	Honeywell					X								131-9[B]
GAS TURBINE ENGINE	3800708-1			49-27-29	Honeywell		X											131-9[A]
WIRING HARNESS	3888297-1		3800454	49-25-95	Honeywell			X										GTCP331-350
WIRING HARNESS	3888297-2		3800454	49-25-95	Honeywell			X										GTCP331-350
WIRING HARNESS	3888297-3		3800454	49-25-95	Honeywell			X										GTCP331-350
WIRING HARNESS	3888364-3		3800550-1	49-26-57	Honeywell										X			GTCP331-500
WIRING HARNESS	3888364-4		3800550-1	49-26-57	Honeywell										X			GTCP331-500
WIRING HARNESS	3888448-1		3800702-1	49-11-11	Fokker Elmo					X								131-9[B]



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: <i>The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions</i> <i>EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable</i>														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
WIRING HARNESS	3888448-2		3800702-1	49-11-11	Fokker Elmo					X								131-9[B]
WIRING HARNESS	3888449-1		3800702-1	49-11-12	Fokker Elmo					x								
WIRING HARNESS	3888449-2		3800702-1	49-11-12	Fokker Elmo					x								
VALVE, 3.5" FLOW CONTROL	396498-2			21-11-07	Honeywell					X								
VALVE, FLOW CONTROL	396608-1			21-10-37	Honeywell					X								
VALVE, 3.5" ELECTRICAL DUAL MODULATING & S.O.	398116-1-1			21-61-49	Honeywell				X	X								
VALVE, 7" DIAMETER SHUTOFF	398310-2-1	544286		36-12-43	Honeywell						X	X						
VALVE, 7" DIAMETER SHUTOFF	398310-3-1	544286		36-12-43	Honeywell						X	X						
VALVE, 7" DIAMETER SHUTOFF	398310-4-1	544286		36-12-43	Honeywell						X	X						
VALVE, 7" DIAMETER SHUTOFF	398310-5-1	544286		36-12-43	Honeywell						X	X						
VALVE, 3" DIAMETER TEMPERATURE CONTROL	398750-2	2022522		21-51-07	Honeywell									X				
VALVE, 3" DIAMETER TEMPERATURE CONTROL	398750-3	2022522		21-51-07	Honeywell									X				
VALVE, 3" DIAMETER TEMPERATURE CONTROL	398750-4	2022522		21-51-07	Honeywell									X				
VALVE, 3" DIAMETER TEMPERATURE CONTROL	398750-5	2022522		21-51-07	Honeywell									X				
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-2	2022494		21-58-01	Honeywell	S210T170-34						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-3	2022494		21-58-01	Honeywell	S210T170-34						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-4	2022494		21-58-01	Honeywell	S210T170-34						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-5	2022494		21-58-01	Honeywell	S210T170-64						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-6	2022494		21-58-01	Honeywell	S210T170-64						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-7	2022494		21-58-01	Honeywell	S210T170-64						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-8	2022494		21-58-01	Honeywell	S210T170-64						X		X	X			
VALVE, 9" DIAMETER ELECTRIC SHUTOFF	398774-9	2022494		21-58-01	Honeywell	S210T170-64						X		X	X			
VALVE, 2" TRIM AIR SUPPLY MODULATING	398786-2	544654		21-61-17	Honeywell									X				
VALVE, 2" TRIM AIR SUPPLY MODULATING	398786-3	544654		21-61-17	Honeywell									X				CF6-80C2
VALVE, 2" TRIM AIR SUPPLY MODULATING	398786-4	544654		21-61-17	Honeywell									X				CF6-80C2
VALVE, 2" TRIM AIR SUPPLY MODULATING	398786-5	544654		21-61-17	Honeywell	S210T130-74								X				CF6-80C2
VALVE, TEMPERATURE CONTROL	398908-2	2740028-1 2740028-2		21-50-83	Honeywell				X	X								CF6-80C2
VALVE, TEMPERATURE CONTROL	398908-3	2740028-1 2740028-2		21-50-83	Honeywell				X	X								CF6-80C2
VALVE, TEMPERATURE CONTROL	398908-4	2740028-4		21-50-83	Honeywell				X	X								
VALVE, TEMPERATURE CONTROL	398908-5	2740028-4		21-50-83	Honeywell				X	X								
VALVE, SMOKE / OVERRIDE	420365-1			21-58-03	Whittaker	S210T170-19						X		X				
Engine Control Wiring Harness Assembly	4505113A			49-10-27	Hamilton Sundstrand											X		APS2300
Engine Control Wiring Harness Assembly	4505113B			49-10-27	Hamilton Sundstrand											X		APS2300
VALVE, CORE COMPARTMENT COOLING	510-0031-1			75-23-15	Honeywell							X		X				CF6-80C2
VALVE, CORE COMPARTMENT COOLING	510-0031-2			75-23-15	Honeywell							X		X				CF6-80C2
VALVE, ASSEMBLY SHUTOFF	540-0712-1			24-10-06	Honeywell							X						CF6-80C2
VALVE, ASSEMBLY SHUTOFF	540-0712-2			24-10-06	Honeywell							X						CF6-80C2
VALVE, ASSEMBLY SHUTOFF	540-0715-1			75-23-14	Honeywell							X		X				CF6-80C2



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
VALVE, ASSEMBLY SHUTOFF	540-0715-2			75-23-14	Honeywell							X		X				CF6-80C2
NGS AIR SEPARATION UNIT	5849380-1			47-11-03	Honeywell					X								
NGS THERMAL SWITCH	5849539-1			47-43-02	Honeywell					X								
NGS THERMAL SWITCH	5849539-2			47-43-02	Honeywell					X								
Rotary Actuator	6057H3			21-53-68	Hamilton Sundstrand												X	
Trim Air valve	6059H3			21-53-72	Hamilton Sundstrand												X	
Air Cycle Machine Bypass Valve	6061H3			21-53-70	Hamilton Sundstrand												X	
Economy Cooling Valve	6063H3			21-53-71	Hamilton Sundstrand												X	
Add Heat Valve	6085H3			21-53-69	Hamilton Sundstrand												X	
Shutoff Valve	6113H3			47-11-10	Hamilton Sundstrand												X	
Flow Control Valve	6117H3			47-32-08	Hamilton Sundstrand												X	
Ram Control Valve	6135H3			47-32-07	Hamilton Sundstrand												X	
VALVE, CORE COMPARTMENT COOLING	62E71-3			75-22-06	Honeywell			X										CF6-80E1
VALVE, CORE COMPARTMENT COOLING	62E71-4			75-22-06	Honeywell			X										CF6-80E1
Rotary Actuator	6339H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6341H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6343H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6345H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6347H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6449H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6537H3			21-53-68	Hamilton Sundstrand												X	
Rotary Actuator	6641H1			21-53-68	Hamilton Sundstrand												X	
VALVE, MOTOR OPERATED SHUTOFF	67-2906-001			24-09-02	Honeywell				X	X								
VALVE, MOTOR OPERATED SHUTOFF	67-2906-002			24-09-02	Honeywell				X	X								
VALVE, FWD OVERBOARD & CARGO A/C SHUTOFF	67-2951-001	3200		36-10-02	Honeywell	60B40048-1					X	X		X				
VALVE, MOTOR OPERATED SHUTOFF	67-2985-001	67-0033 3755		24-09-03	Honeywell						X	X		X				
VALVE, MOTOR OPERATED SHUTOFF	67-2985-001M	67-0033 3755		24-09-03	Honeywell						X	X		X				
VALVE, MOTOR OPERATED SHUTOFF	67-2985-002	67-0033 3755		24-09-03	Honeywell						X	X		X				
VALVE, MOTOR OPERATED SHUTOFF	67-2985-003	67-0033 3755		24-09-03	Honeywell						X	X		X				
VALVE, IDG SHUTOFF	68E54-3			24-10-17	Honeywell			X										CF6-80E1
VALVE, IDG SHUTOFF	68E54-4			24-10-17	Honeywell			X										CF6-80E1
Rotary Electric Actuator	7000801-2			21-27-16	Hamilton Sundstrand												X	
Rotary Electric Actuator	7000801-3			21-27-16	Hamilton Sundstrand												X	
Rotary Electric Actuator	7000802-2			21-27-17	Hamilton Sundstrand												X	
Rotary Electric Actuator Dual Motor	7000803-2			21-27-18	Hamilton Sundstrand												X	
Rotary Actuator	7001425-3			21-53-68	Hamilton Sundstrand												X	
Insulation Blanket	7002546-2			21-53-98	Hamilton Sundstrand												X	
Insulation Blanket	7002546-3			21-53-98	Hamilton Sundstrand												X	



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings:
B3- APU

C1 - Air Cond. & Press.
C5 - Electrical Power
C7 - Engine/APU
C8 - Flight Controls

C9 - Fuel
C17 - Pneumatic & Vacuum
C18 - Protection Ice/Rain/Fire

FAR-145 Ratings:
EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.

Notes:
The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions
EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable

Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
Insulation Blanket	7002547-3			21-53-98	Hamilton Sundstrand												X	
Insulation Blanket	7002547-4			21-53-98	Hamilton Sundstrand												X	
APU APSS000A	7002907H02			5000-1EM	Hamilton Sundstrand												X	APS5000
APU APSS000A	7002907H03			5000-1EM	Hamilton Sundstrand												X	APS5000
APU APSS000A	7002907H04			5000-1EM	Hamilton Sundstrand												X	APS5000
APU APSS000A	7002907H05			5000-1EM	Hamilton Sundstrand												X	APS5000
CAC-Module	7005336H01			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H02			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H03			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H04			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H05			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H06			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H07			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H08			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H09			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005336H10			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H01			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H02			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H03			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H04			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H05			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H06			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H07			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H08			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H09			21-53-75	Hamilton Sundstrand												x	
CAC-Module	7005337H10			21-53-75	Hamilton Sundstrand												x	
Flight Deck Check Valve	7010071H01			21-52-52	Hamilton Sundstrand												X	
Ground Connect Check Valve	7010072H01			21-21-27	Hamilton Sundstrand												X	
Alternate Ventilation System 2.5 inch Check Valve	7010074H01			21-21-23	Hamilton Sundstrand												X	
7.0 Inch Check Valve	7010075H01			21-21-26	Hamilton Sundstrand												X	
Boosted Venturi Flow Sensor	7010102H02			21-51-90	Hamilton Sundstrand												X	
Rotary Actuator	7010104-172			21-53-68	Hamilton Sundstrand												X	
Add Heat Valve	7010104H03			21-53-69	Hamilton Sundstrand												X	
CAC Outlet Check Valve	7010105H01			21-51-91	Hamilton Sundstrand												X	
CAC Outlet Check Valve	7010105H02			21-51-91	Hamilton Sundstrand												X	
Air Cycle Machine	7010121H03			21-52-55	Hamilton Sundstrand												X	
Terminal Box Assembly	7010126H04			21-51-98	Hamilton Sundstrand												X	
Terminal Box Assembly	7010126H05			21-51-98	Hamilton Sundstrand												X	



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings:
B3- APU

C1 - Air Cond. & Press. C9 - Fuel
C5 - Electrical Power C17 - Pneumatic & Vacuum
C7 - Engine/APU C18 - Protection Ice/Rain/Fire
C8 - Flight Controls

FAR-145 Ratings:
EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.

Notes:
The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions
EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable

Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
Rotary Actuator	7010128-115			21-53-68	Hamilton Sundstrand												X	
Air Cycle Machine Bypass Valve	7010128H03			21-53-70	Hamilton Sundstrand												X	
50 PSIA Pressure Sensor	7010129H02			21-52-85	Hamilton Sundstrand							X					X	
Economy Cooling Valve	7010131H03			21-53-71	Hamilton Sundstrand												X	
Ram Air Check Valve	7010134H01			21-21-30	Hamilton Sundstrand												X	
Conditioned Air Check Valve	7010148H03			21-52-59	Hamilton Sundstrand												X	
Compact Mixer	7010149H02			21-52-60	Hamilton Sundstrand												X	
Compact Mixer	7010149H03			21-52-60	Hamilton Sundstrand												X	
Trim Air valve	7010163H03			21-53-72	Hamilton Sundstrand												X	
Rotary Actuator	7010173-133			21-53-68	Hamilton Sundstrand												X	
Temperature Control Valve	7010173H03			21-55-19	Hamilton Sundstrand												X	
Isolation Valve	7010176H02			21-55-20	Hamilton Sundstrand												X	
FWD Override Valve	7010304H02			21-27-06	Hamilton Sundstrand												X	
9 Inch Intermediate Positioning Valve	7010309H02			21-27-07	Hamilton Sundstrand												X	
Aft Override Valve	7010403H02			21-27-09	Hamilton Sundstrand												X	
7 inch Intermediate Positioning Valve	7010409H02			21-27-10	Hamilton Sundstrand												X	
7 inch Shutoff Valve	7010413H02			21-24-05	Hamilton Sundstrand												X	
3 inch Shutoff Valve	7010703H02			21-44-02	Hamilton Sundstrand												X	
4.5 inch Shutoff Valve	7010906H02			21-29-04	Hamilton Sundstrand												X	
Rotary Actuator	7011003-109			21-53-68	Hamilton Sundstrand												X	
Temperature Control Valve	7011056H03			21-55-19	Hamilton Sundstrand												X	
Temperature Control Valve	7011056H04			21-55-19	Hamilton Sundstrand												X	
Pressure Relief Valve Assembly	7011101H01			30-21-07	Hamilton Sundstrand												X	
Pressure Relief Valve Assembly	7011101H02			30-21-07	Hamilton Sundstrand												X	
Rotary Actuator	7012001-108			21-53-68	Hamilton Sundstrand												X	
Shutoff Valve	7012001H02			47-11-10	Hamilton Sundstrand												X	
Shutoff Valve	7012001H03			47-11-10	Hamilton Sundstrand												X	
Rotary Actuator	7012003-114			21-53-68	Hamilton Sundstrand												X	
Ram Control Valve	7012003H03			47-32-07	Hamilton Sundstrand												X	
2.5 Inch Check Valve	7012004H01			47-14-02	Hamilton Sundstrand												X	
Flow Control Valve	7012005H02			47-32-08	Hamilton Sundstrand												X	
Flow Control Valve	7012005H03			47-32-08	Hamilton Sundstrand												X	
Shutoff Motor Cooling Switch Indication Valve	7012007H03			47-32-02	Hamilton Sundstrand												X	
Actuator Valve	7012070H03			47-21-09	Hamilton Sundstrand												x	
Insulation Blanket	7101666-1			21-53-98	Hamilton Sundstrand												X	
Insulation Blanket	7101666-2			21-53-98	Hamilton Sundstrand												X	
Air Cycle Machine	7110121H01			21-53-81	Hamilton Sundstrand												x	
COMPACT MIXER	7110149H01			21-54-21	Hamilton Sundstrand												X	



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.															
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: <i>The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions</i> <i>EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable</i>															
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number	
GCU temperature Control Valve	7111055H03			21-55-20	Hamilton Sundstrand													X	
Rotary Actuator	7111057-101			21-53-68	Hamilton Sundstrand													X	
Galley Pressure Control Valve	7111057H01			21-55-20	Hamilton Sundstrand													X	
CAC-Module	7115336H01			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115336H02			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115336H03			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115336H04			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115336H05			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115336H06			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115337H01			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115337H02			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115337H03			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115337H04			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115337H05			21-54-23	Hamilton Sundstrand													x	
CAC-Module	7115337H06			21-54-23	Hamilton Sundstrand													x	
VALVE, COMPRESSOR BYPASS CHECK	717998-2			21-51-05	Hamilton Sundstrand						X								
VALVE, COMPRESSOR BYPASS CHECK	717998-3			21-51-05	Hamilton Sundstrand						X								
VALVE, COMPRESSOR BYPASS CHECK	717998-4			21-51-05	Hamilton Sundstrand	60B00026-22					X								
VALVE, TURBINE BYPASS ACM	719223-3	742824		21-62-01	Hamilton Sundstrand						X								
VALVE, TURBINE BYPASS ACM	719223-4	742824		21-62-01	Hamilton Sundstrand	60B00026-27					X								
VALVE, ZONE TRIM AIR MODULATION	719224-3	720434		21-61-05	Hamilton Sundstrand						X								
VALVE, ZONE TRIM AIR MODULATION	719224-4	720434		21-61-05	Hamilton Sundstrand	60B00026-14					X								
Rotary Actuator	7213706-1			21-53-68	Hamilton Sundstrand													X	
FILTER	727604-4			36-11-12 36-11-13	Hamilton Sundstrand							X							
FILTER	727604-5			36-10-01 21-52-10	Hamilton Sundstrand											X			
WATER SEPARATOR	750399-3			21-51-15	Hamilton Sundstrand	60B00026-61					X								
VALVE, TIME AIR PRESSURE REG AND SHUTOFF	752000-1			21-61-08	Hamilton Sundstrand						X								
VALVE, TIME AIR PRESSURE REG AND SHUTOFF	752000-2			21-61-08	Hamilton Sundstrand						X								
VALVE, FLOW CONTROL AND SHUT OFF	767460-1			21-51-40	Hamilton Sundstrand	60B00026-75					X								
VALVE, FLOW CONTROL AND SHUT OFF	767460-2			21-51-40	Hamilton Sundstrand						X								
VALVE, FLOW CONTROL AND SHUT OFF	767460-3			21-51-40	Hamilton Sundstrand						X								
VALVE, FLOW CONTROL AND SHUT OFF	767460-4			21-51-40	Hamilton Sundstrand						X								
VALVE, PRESSURE REGULATING AND SHUTOFF	773288-10			36-12-03	Hamilton Sundstrand	S210T120-63								X				CF6-80A/-80C, JT9D-7, PW4000	
VALVE, PRESSURE REGULATING AND SHUTOFF	773288-6			36-12-03	Hamilton Sundstrand	S210T120-63								X				CF6-80A/-80C, JT9D-7, PW4000	
VALVE, PRESSURE REGULATING AND SHUTOFF	773288-7			36-12-03	Hamilton Sundstrand	S210T120-63								X				CF6-80A/-80C, JT9D-7, PW4000	
VALVE, PRESSURE REGULATING AND SHUTOFF	773288-8			36-12-03	Hamilton Sundstrand	S210T120-63								X				CF6-80A/-80C, JT9D-7, PW4000	
VALVE, PRESSURE REGULATING AND SHUTOFF	773288-9			36-12-03	Hamilton Sundstrand	S210T120-63								X				CF6-80A/-80C, JT9D-7, PW4000	
CONTROLLER, HIGH PRESSURE	773289-10			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000	



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.																
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable																
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number		
CONTROLLER, HIGH PRESSURE	773289-11			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-12			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-13			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-14			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-15			36-12-02	Hamilton Sundstrand	S210T120-52						X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-16			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-18			36-12-02	Hamilton Sundstrand	S210T120-212						X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-3			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-4			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-5			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-6			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-7			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-8			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
CONTROLLER, HIGH PRESSURE	773289-9			36-12-02	Hamilton Sundstrand							X			X			CF6-80A/-80C, JT9D-7, PW4000		
VALVE, FAN AIR	773855-3			36-12-05	Hamilton Sundstrand									X				JT9D-7, CF6-80A		
VALVE, FAN AIR	773855-4			36-12-05	Hamilton Sundstrand									X				JT9D-7, CF6-80A		
VALVE, FAN AIR	773855-5			36-12-05	Hamilton Sundstrand	S210T120-115								X				PW4000		
VALVE, FAN AIR	773855-6			36-12-05	Hamilton Sundstrand	S210T120-105								X				CF6-80C2		
VALVE, FAN AIR	773855-7			36-12-05	Hamilton Sundstrand	S210T120-125						X						CF6-80C2		
VALVE, FAN AIR	773855-8			36-12-05	Hamilton Sundstrand	S210T120-135						X						PW4000		
VALVE, INTERMEDIATE PRESSURE CHECK	773856-10			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-11			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-12			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-13			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-14			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-15			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-16			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-17			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-18			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-19			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-3			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-4			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-5			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-6			36-12-06	Hamilton Sundstrand						X	X		X						
VALVE, INTERMEDIATE PRESSURE CHECK	773856-8			36-12-06	Hamilton Sundstrand						X	X		X						
AIR CYCLE MACHINE	774469-4			21-51-61	Hamilton Sundstrand	60B00026-93					X	X								
STARTER, PNEUMATIC	774984-1			80-13-01	Hamilton Sundstrand									X				RB211		
STARTER, PNEUMATIC	774984-2			80-13-01	Hamilton Sundstrand									X				RB211		



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings:
B3- APU

C1 - Air Cond. & Press. C9 - Fuel
C5 - Electrical Power C17 - Pneumatic & Vacuum
C7 - Engine/APU C18 - Protection Ice/Rain/Fire
C8 - Flight Controls

FAR-145 Ratings:
EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.

Notes:
The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions
EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable

Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
STARTER, PNEUMATIC	774984-3			80-13-01	Hamilton Sundstrand								X					RB211
STARTER, PNEUMATIC	775550-2			80-11-12	Hamilton Sundstrand			X				X		X				CF6-80, -80E1
STARTER, PNEUMATIC	775550-3			80-11-12	Hamilton Sundstrand	S332U231-2		X				X		X				CF6-80, -80E1
STARTER, PNEUMATIC	775550-5			80-11-12	Hamilton Sundstrand			X				X		X				CF6-80, -80E1
STARTER, PNEUMATIC	775550-6			80-11-12	Hamilton Sundstrand			X				X		X				CF6-80, -80E1
STARTER, PNEUMATIC	775550-7			80-11-12	Hamilton Sundstrand	S332U231-3		X				X		X				CF6-80, -80E1
VALVE, HIGH PRESSURE SHUT OFF	790270-1			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-10			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-11			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-12			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-13			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-14			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-15			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-2			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-3			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-4			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-5			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-6			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-7			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-8			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	790270-9			36-12-09	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
SENSOR, FAN AIR TEMPERATURE	790390-1			36-11-13	Hamilton Sundstrand							X						
SENSOR, FAN AIR TEMPERATURE	790390-2			36-11-13	Hamilton Sundstrand							X						
SENSOR, FAN AIR TEMPERATURE	790390-3			36-11-13	Hamilton Sundstrand							X						
SENSOR, FAN AIR TEMPERATURE	790390-4			36-11-13	Hamilton Sundstrand							X						
SENSOR, FAN AIR TEMPERATURE	790390-5			36-11-13	Hamilton Sundstrand	S210T120-118						X						
CONTROLLER, PRESSURE	792755-11			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-12			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-13			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-14			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-15			36-12-10	Hamilton Sundstrand	S210T120-242						X		X				
CONTROLLER, PRESSURE	792755-16			36-12-10	Hamilton Sundstrand	S210T120-222						X		X				
CONTROLLER, PRESSURE	792755-3			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-4			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-5			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-6			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-7			36-12-10	Hamilton Sundstrand							X		X				
CONTROLLER, PRESSURE	792755-8			36-12-10	Hamilton Sundstrand							X		X				



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.														
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: <i>The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable</i>														
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-1			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-10			36-11-12	Hamilton Sundstrand	S210T120-143						X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-11			36-11-12	Hamilton Sundstrand	S210T120-153						X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-2			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-3			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-4			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-5			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-6			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-7			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-8			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, PRESSURE REGULATING AND SHUTOFF	792999-9			36-11-12	Hamilton Sundstrand							X						CF6-80C2, PW4000, RB211-524
VALVE, CHECK	7C2F-320001			36-12-19	AeroControlex											X		
VALVE, CHECK	7C2N-240902			36-13-07	AeroControlex											X		
VALVE, CHECK	7D2F-4000201			21-20-04	AeroControlex											X		
VALVE, CHECK	7D2F-4000202			21-20-04	AeroControlex											X		
VALVE, CHECK	7D2F-4000203			21-20-04	AeroControlex											X		
VALVE, CHECK	7H2F-240200			36-11-31	AeroControlex											X		
VALVE, CHECK	7H2F-240400			36-11-31	AeroControlex											X		
VALVE, FAN BYPASS CHECK	7V6V-104000			21-51-78	AeroControlex											X		
VALVE, HIGH PRESSURE SHUT OFF	802170-1			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
High Pressure Shutoff Valve	802170-1/-9			36-12-14	Hamilton Sundstrand							X		X				
VALVE, HIGH PRESSURE SHUT OFF	802170-10			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-11			36-12-14	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-12			36-12-14	Hamilton Sundstrand							X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-2			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-3			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-4			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-5			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-6			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-7			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-8			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
VALVE, HIGH PRESSURE SHUT OFF	802170-9			36-12-14	Hamilton Sundstrand	S210T120-141						X		X				CF6-80C2, PW4000
Filter	808492-1			36-12-02	Hamilton Sundstrand											X		
VALVE, INTERMEDIATE PRESSURE CHECK	808556-1			36-12-16	Hamilton Sundstrand	S210T120-126						X	X					CF6-80A, 80C2, JT9D-7, PW4000
FILTER	808574-2			36-11-30	Hamilton Sundstrand											X		
FILTER	808574-6			36-11-30	Hamilton Sundstrand											X		
AIR CYCLE MACHINE	810209-10			21-52-03	Hamilton Sundstrand										X			
AIR CYCLE MACHINE	810209-11			21-52-03	Hamilton Sundstrand										X			



COMMERCIAL COMPONENT CAPABILITY LIST

EASA Approved Maintenance Organization: NL.145.1326 - FAA Certified Foreign Repair Station: E45Y760Y

Bellsingel 41
1119 NT Schiphol-Rijk
The Netherlands
Tel: (+31 20) 3161730
Fax: (+31 20) 3161777

EASA-145 Ratings: B3- APU				FAR-145 Ratings: EPCOR Component Capability List identified as EPCOR Form 106, including all of its sub-parts, as revised and accepted by the Federal Aviation Administration.																
C1 - Air Cond. & Press. C9 - Fuel C5 - Electrical Power C17 - Pneumatic & Vacuum C7 - Engine/APU C18 - Protection Ice/Rain/Fire C8 - Flight Controls				Notes: The company name stated in the OEM column can differ from the name as printed in CMM/OHM as a result of recent acquisitions EPCOR capability list is approved by EASA / FAA / TCCA, please note that for other authorities limitations on this list may be applicable																
Description	Main P/N	Sub P/N	NHA P/N	CMM	OEM	BCAG p/n	A319/A320 /A321	A330 / A340	B737CL	B737NG	B747CG	B747-400	B757	B767	B777	EMB170/175 EMB190/195	B787	Engine Application / Model number		
AIR CYCLE MACHINE	810209-2			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-3			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-4			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-5			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-6			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-7			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-8			21-52-03	Hamilton Sundstrand										X					
AIR CYCLE MACHINE	810209-9			21-52-03	Hamilton Sundstrand										X					
STARTER AIR VALVE	811390-3			80-12-10	Microtechnica						X	X		X						
VALVE, PACK BYPASS	820914-2			21-53-13	Hamilton Sundstrand											X				
VALVE, PACK BYPASS	820914-3			21-53-13	Hamilton Sundstrand											X				
VALVE, PACK BYPASS	820914-5			21-53-13	Hamilton Sundstrand											X				
VALVE, PACK BYPASS	820914-6			21-53-13	Hamilton Sundstrand											X				
VALVE, SOLENOID SHUTOFF	820966-1			21-52-19	Hamilton Sundstrand											X				
VALVE, SOLENOID SHUTOFF	820966-2			21-52-19	Hamilton Sundstrand											X				
VALVE, SOLENOID SHUTOFF	820966-3			21-52-19	Hamilton Sundstrand											X				
FILTER	821166-1			36-11-17 21-27-04	Hamilton Sundstrand											X				
PRESSURE RELIEF VALVE ASSEMBLY	968214-1		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-10		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-11		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-12		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-13		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-14		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-15		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-17		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-2		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-3		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-4		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-5		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-6		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		
PRESSURE RELIEF VALVE ASSEMBLY	968214-7		3800454 3800702	49-31-09	Honeywell										X			GTCP331-350 131-9(B)		